


ILLUSTRATED PARTS

AMERICAN  AMERICAN
M A D E O W N E D
OUTDOOR POWER EQUIPMENT




1994

SELF-PROPELLED MOWERS

Model Number	Pages
124-828F000 and 124-828I000	2-5
124-848C000 and 124-848L000	6-9
124E848M000	9-12

Model 828

Grass Catcher Complete:
(Includes Rear Catcher Panel Ref. 16)
Model 190-081-000



Model 828

PARTS LIST FOR MODEL 828 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
2	747-0824		Control Handle Ass'y.—L.H.	66	710-0260		Carriage Bolt 5/16-18 x .62"
3	731-1023		Rear Discharge Chute Ass'y.	67	710-0603		Hex Wash. Hd. B-Tap Scr.
4	710-0605		Oval C-Sunk Scr.				5/16-18
5	646-0875		Throttle Body	68	710-0654A		Hex Wash. Hd. TT-Tap Scr.
6	736-0501		Spr. Wash. .66" I.D.				3/8-16
7	712-0324		Hex L-Nut 1/4-20 Thd.	69	712-0267		Hex Nut 5/16-18 Thd.*
8	746-0876		Throttle Lever	70	720-0223		Grip
9	710-1205		Rope Guide	71	732-0606		Height Adj. Lever
10	720-0279		Wing Nut 1/4-20 Thd.	73	736-0242		Bell-Wash. 5/16" I.D.
11	720-0249		Hub Cap	74	750-0736		Spacer
12	710-0946		Truss Mach. Scr. 1/4-20 x .62"	75	750-0624		Shld. Spacer .500" Dia.
13	736-0258		FI-Wash. .383" I.D. x 1" O.D.	76	719-0279		Rope Guide
14	749-0439B		Upper Handle	77	726-0233		Bolt Retainer 1/4 x .50" O.D.
15	16129A		Panel Support Brkt.	78	734-1512A		Front Wheel Ass'y. Comp.
16	16862		Rear Catcher Panel Ass'y.	79	741-0486B		Bearing 1/2" I.D.
17	17095A		Rear Discharge Door	80	738-0137		Shld. Scr. .342" Dia. x .268
19	732-0483A		Torsion Spring	81	748-0188B		Pawl
20	747-0514		Pivot Pin	82	734-1510B		Rear Wheel Ass'y. Comp.
21	710-0134		Carriage Bolt 1/4-20 x .62"	83	726-0175		Clamp
22	710-0255		Truss Mach. Scr. 1/4-20 x 3/4"	84	736-0514		FI-Wash. .88" I.D.
24	738-0704		Shoulder Bolt .312 Dia. x .18 Lg.—Special	85	736-0513		Spr-Washer .89" I.D.
25	710-0258		Hex Bolt 1/4-20 x .62" Lg.*	86	748-0358		Crankshaft Spacer
26	712-0287		Hex Nut 1/4-20 Thd.*	87	731-0880		Panel Clip
27	736-0270		Bell-Wash. 1/4" I.D.	88	712-0414		Weld L-Nut 1/4-20 Thd.
28	736-0329		L-Wash. 1/4" I.D.*	91	720-0276		Hand Knob
29	747-0705		Front Grass Catcher Frame	92	756-0962		Pulley Half—Upper
30	722-0139		Foam Strip	93	756-0961		Pulley Half—Lower
31	731-1059		S.P. Control Cover	94	710-0578		Phil. Mach. Scr. 1/4-20
32	735-0639		Spark Plug Insulator	95	746-0710A		S.P. Cable
33	712-0397		Wing Nut w/Washer	96	754-0343		"V"—Belt
34	746-0674		Throttle Control Wire 61"	97	712-0271		Sems Nut 1/4-20 Thd.
35	749-0907		Lower Handle	98	731-0801		Bag Handle
36	—		Engine	100	714-0104		Hairpin Clip
37	710-1237		Hex Self-Tap Scr. #10-32 x .62"	102	682-0021		21" Deck Ass'y.
38	764-0257		Grass Bag	106	711-0313		Sleeve .526" I.D. x .690"
41	736-0204		FI-Wash. .344" I.D. x .62"				O.D. x .880" Lg.
42	17055B		Chain—Axle Ass'y.	112	738-0705		Shld. Bolt .575" Dia. x .42
43	710-0352		Hex B-Tap Scr. 1/4" x .38" Lg.	114	731-1057		Self-Propelled Control Cover
45	710-0776A		Hex AB-Tap Scr. 1/4 x .62"	115	731-1058		Self-Propelled Control Cover
47	712-0296		Hex Patch L-Nut 3/8-24 Thd.	116	731-0620		Control Lever
48	713-0353		#48 Chain .500" Pitch x 30 Links	117	720-0190		Door Grip
49	712-0346		Hex L-Nut 1/2-20 Thd.	118	710-0841		FI—"C"—Sunk Hd. Tap Scr.
50	731-0564		Plug				#10 x .75" Lg.
51	731-1488		Rear Flap	119	16855		Pawl Plate
52	726-0240		Cable Tie	121	710-1174		Curved Carr. Bolt 5/16-18 x 2" Lg.
53	751B213146		Cable Clamp	122	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.
54	710-1025		Hex AB Scr. #12 x 1.25" Lg.	123	736-0169		L-Wash. 3/8" I.D.*
55	753-0484		Blade Adapter Kit	129	746-0912		Control Cable 47" Lg.
56	742-0721		21" Mulching Blade	130	748-0318		Ratchet Wheel 1.62" O.D.
57	731-1343		Mulching Plug	131	714-0115		Cotter Pin 1/8" Dia. x 1.00" Lg.*
58	736-0452		Bell-Wash. .39" I.D.	132	712-0711		Hex Jam Nut 3/8-24 Thd.
60	710-1044		Hex Bolt 3/8-24 x 1.5" Lg. (Grade 5)	133	731-0884		Side Chute Deflector Ass'y.
61	748-0190		Spacer .513" I.D. x .703" O.D. x .69" Lg.	134	741-0522		Hex Flange Bearing
64	16136B		R.H. Handle Wheel Brkt. Ass'y.	135	811-00185		Throttle Box Comp. (Incl. Ref. 4, 5, 6, 7, 8)
65	16137B		L.H. Handle Wheel Brkt. Ass'y.	136	10622B		Spring—Nylon
				138	17053A		Chain Cover



Model 828

PARTS LIST FOR MODEL 828 ROTARY MOWER (CONTINUED)

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
140	710-0599		Hex Wash. S-Tap Scr. 1/4-20 x .50" Lg.	156	710-1055		Hex Scr. 3/8-24 x 1.0" Lg.
144	736-0300		FI-Wash. .385" I.D. x .87"	157	736-0169		L-Wash. 3/8" I.D.
145	738-0102		Axle Bolt	158	712-0241		Hex Nut 3/8-24 Thd.
146	736-0105		Bell-Wash. .4" I.D. x .83" O.D.	159	14832		Spring Lever Ass'y. w/knob
147	738-0719A		Rear Shaft Ass'y. 21.94" Lg.	161	749-0764A		Rear Catcher Frame
148	741-0324		Hex Flange Bearing .506" I.D. Plastic	163	710-0352		Hex Wash. Hd. Tap Scr. 1/4 x .38" Lg.
149	736-0160		FI-Wash. .531" I.D. x .930"	164	782-7555		Mulching Baffle
150	738-0507B		Shld. Bolt .5" Dia. x .434"	165	15262B		Pivot Bar
152	710-0751		Hex Bolt 1/4-20 x .62" Lg. (Grade 5)	166	15261A		Height Adj. Plate
153	717-0417B		Transmission Comp. (See Breakdown)	167	14578		Front Height Adj. Ass'y. Comp.—R.H.
154	16500A		Hex Bearing Cup		14579		Front Height Adj. Ass'y. Comp. Comp.—L.H.
155	710-0429		Hex B-Tap Scr. #10 x .38	168	736-0356		Bell-Wash. .39" I.D. x 1.38" O.D.
				169	712-0798		Hex Nut 3/8-16 Thd.*

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Model 828




PARTS LIST FOR MODEL 828 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1062		Hex Bolt w/Patch 1/4-20 x 1.25"	23	736-0270		Bell-Wash. .265" I.D. x .75"†
2	726-0329		L-Wash. 1/4" I.D.*	24	17052A		Idler Brk't. Ass'y.†
3	717-0418A		Upper Hsg. Half	25	712-0138		Hex Patch L-Nut 1/4-28 Thd.†
4	713-0400		#48 Sprocket 7 Tooth x 1/2 Pitch	26	732-0357A		Extension Spring 1.12" Lg.†
5	736-0336		Fl-Wash. 5/8" I.D. x .030	27	717-0419A		Lower Hsg. Half
6	741-0413		Hex Flange Brg. .631" I.D.	28	741-0415		Flange Bearing .56 Dia.
7	16500A		Hex Bearing Cup	29	717-0422A		33 Tooth Helical Gear
8	736-0314		Thrust Wash. .382" I.D. x .70" O.D.	30	741-0414		Flange Bearing .629 Dia.
9	741-0479		Thrust Bearing .375" I.D. x .812" O.D.	31	721-0213		Oil Seal .625 Dia.
11	717-1216		11 Tooth Helical Gear	32	738-0607A		Gear Sprocket Shaft
12	748-0208A		Flange Bearing	33	736-0722		L-Wash. #10 I.D.
13	721-0212		Oil Seal	34	710-0436		Hex B-Tap Scr. #10 x .62"
15	756-0330A		Fl-Pulley 5.06" I.D.†	35	736-0410		Hex Washer .26" x .88"†
16	736-0270		Bell-Wash. .265" I.D. x .75"†	36	17718		Transmission Belt Guard†
17	712-0351		Hex Nut 1/4-28 L.H. Thd.†	39	710-0599		Hex AB-Tap Scr. 1/4 x .50" Lg.†
18	738-0440		Shld. Spacer .375" Dia. x .170†	40	710-0896		Hex B-Tap Scr. 1/4 x .62" Lg.
19	736-0344		Fl-Wash. .390" I.D. x 1.0"†	41	712-0287		Hex Nut 1/4-20 Thd.*†
20	738-0826		Shld. Bolt .375" Dia. x .40"†	42	736-0270		Bell-Wash. .265" I.D. x .75"†
21	656-0008		Fl-Idler Plastic 1.50" Dia. (Incl. Ref. No. 22)†	43	736-0329		L-Wash. 1/4" I.D.*†
22	741-0556		Needle Brg. .375" x .31"†	44	746-0710A		S.P. Cable—48" Lg.†
				45	747-0549		S.P. Belt Guard†
				—	717-0417B		Transmission Comp.

†Not Part of Transmission Complete

Model 848

Grass Catcher Complete:
(Includes Rear Catcher Panel Ref .16)
Model 190-081-000



†Optional Hub Caps

Description	Part No.
Gray (3-1/2" Dia.)	720-0249
Gray (5-1/2" Dia.)	731-0981A
Yellow (5-1/2" Dia.)	731-1426

Model 848

PARTS LIST FOR MODEL 848 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	720-0225		Foam Grip—2 Req'd. (Optional)	56	742-0721		21" Mulching Blade (Used w/Splined Adapter)
2	747-0824		Control Handle Ass'y. (Std.)		742-0741	N	21" Mulching Blade (Used w/Keyed Adapter)
3	647-0004		Control Handle Ass'y. (Deluxe)				Mulching Plug (Optional)
4	731-1023		Rear Discharge Chute Ass'y.	57	731-1343		Bell-Wash. .46" I.D.
5	710-0605		Oval C-Sunk Scr.	58	736-0453	N	Blade Belt Support (Used w/Keyed Adapter)
6	646-0875	N	Throttle Body		736-0524		Height Adj. Connecting Arm
7	736-0501		Spr. Wash. .66" I.D.	59	782-0521	N	Hex Bolt 7/16-20 x 1.5" Lg. (Used w/Splined Adapter)
8	712-0324		Hex L-Nut 1/4-20 Thd.	60	710-0757		Hex Bolt 3/8-24 x 1.5" Lg. (Used w/Keyed Adapter)
9	746-0876		Throttle Lever				Spacer .513" I.D. x .703" O.D. x .69" Lg.
10	710-1205		Rope Guide				L-Wash. 5/16" I.D.*
11	720-0279	N	Handle Knob 1/4-20 Thd.				R.H. Handle Wheel Brkt. Ass'y.
12	†		Hub Cap (See Chart)		710-1044		L.H. Handle Wheel Brkt. Ass'y.
13	710-0946		Truss Mach. Scr. 1/4-20 x .62" Lg.				Carriage Bolt 5/16-18 x .62"
14	736-0258		FI-Wash. .383" I.D. x 1" O.D.	61	748-0190		Hex Wash. Hd. B-Tap Scr. 5/16-18
15	749-0439B		Upper Handle	63	736-0119		Hex Wash. Hd. TT-Tap Scr. 3/8-16
16	16129A		Panel Support Brkt.	64	16136B		Hex Nut 5/16-18 Thd.*
17	16862		Rear Catcher Panel Ass'y.	65	16137B		Grip
18	17095A		Rear Discharge Door	66	710-0260		Height Adj. Lever
19	732-0483A		Torsion Spring	67	710-0603		Extension Spring .75" O.D. x 8" Lg.
20	747-0514		Pivot Pin				Bell-Wash. 5/16" I.D.
21	710-0134		Carriage Bolt 1/4-20 x .62"	68	710-0654A		Spacer
22	710-0255		Truss Mach. Scr. 1/4-20 x 3/4" Lg.	69	712-0267		Shld. Spacer .500" Dia.
23	710-0776A		Hex AB-Tap Scr. 1/4 x .38" Lg.	70	720-0223		Hairpin Clip
24	738-0704		Shoulder Bolt .312 Dia. x .18 Lg.—Special	71	732-0606		Bolt Retainer 1/4 x .50" O.D.
25	710-0258		Hex Bolt 1/4-20 x .62" Lg.*	72	732-0362		Engine Shroud (Yellow—Optional)
26	712-0287		Hex Nut 1/4-20 Thd.*				XTE Engine Shroud (Black—Optional)
27	736-0270		Bell-Wash. 1/4" I.D.	73	736-0242		Engine Shroud (Black—Optional)
28	736-0329		L-Wash. 1/4" I.D.*	74	750-0736		Screw #10 x 1.25" Lg.
29	747-0705		Front Grass Catcher Frame	75	750-0624		Shld. Scr. .342" Dia. x .268
30	719-0279		Rope Guide	76	714-0104		Pawl
31	731-0906		S.P. Control Cover	77	726-0233		Rear Wheel Ass'y. Comp. (Gray Rim)
32	735-0639		Spark Plug Insulator	78	731-1402		Rear Wheel Ass'y. Comp. (Yellow Rim)
33	712-0397		Wing Nut w/Washer		751B281191		Clamp
34	746-0674		Throttle Control Wire 61"				Bearing 1/2" I.D.
35	749-0907		Lower Handle				Panel Clip
36	—		Engine				Weld L-Nut 1/4-20 Thd.
37	710-1237		Hex Self-Tap Scr. #10-32 x .62" Lg.	79	731-1396		S.P. Cable
38	764-0257		Grass Bag (Plain)	80	710-1256		"V"-Belt
41	764-0264		Grass Bag w/Logo	81	738-0137		Hex AB-Tap Scr. 1" Lg.
42	736-0204		FI-Wash. .344" I.D. x .62"	82	748-0188B		Bag Handle
43	17055B		Chain—Axle Ass'y.		734-1510B		21" Deck Ass'y.
44	710-0352		Hex B-Tap Scr. 1/4" x .38" Lg.		734-1791	N	Shld. Bolt .5" Dia. x .295
45	741-0484		Ball Bearing (Optional)	83	726-0272		Bell-Wash. .515" I.D. x 1.0" O.D.
46	720-0276		Hand Knob	84	741-0486B		Front Axle Ass'y.
47	712-0296		Hex Patch L-Nut 3/8-24 Thd.	87	731-0880		
48	713-0353		#48 Chain .500" Pitch x 30 Links	88	712-0414		
49	712-0346		Hex L-Nut 1/2-20 Thd.	95	746-0710A		
50	731-0564		Plug	96	754-0343		
51	731-1488	N	Rear Flap 4.8" x 18" Lg.	97	710-0969		
52	726-0240		Cable Tie	98	731-0801		
53	751B213146	N	Cable Clamp	102	16859A		
54	710-1025		Hex AB Scr. #12 x 1.25" Lg.	103	738-0234		
55	753-0485		Blade Adapter Kit (Splined)	104	736-0253		
	753-0588	N	Blade Adapter Kit (Keyed)	105	682-7509	N	

Model 848



PARTS LIST FOR MODEL 848 ROTARY MOWER (CONTINUED)

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
106	711-0313		Sleeve .526" I.D. x .690" O.D. x .880" Lg.	149	736-0160		FI-Wash. .531" I.D. x .930"
111	736-0221		Intern. L-Wash. 3/8 I.D.*	151	741-0491		Flanged Nyliner Brg.
112	738-0705		Shld. Bolt .575" Dia. x .42	152	710-0751		Hex Bolt 1/4-20 x .62" Lg.
113	734-1512A		Front Wheel Ass'y. Comp. (Gray Rim)	153	717-0417B		(Grade 5)
	734-1790	N	Front Wheel Ass'y. Comp. (Yellow Rim)	154	16500		Transmission Comp. (See Breakdown)
114	731-0904		Self-Propelled Control Cover	155	710-0429		Hex Bearing Cup
115	731-0905		Self-Propelled Control Cover	156	710-1055		Hex B-Tap Scr. #10 x .38
116	731-0620		Control Lever	157	736-0169		Hex Scr. 3/8-24 x 1.0" Lg.
117	720-0190		Door Grip	158	712-0241		L-Wash. 3/8" I.D.
118	710-0841		FI-"C"-Sunk Hd. Tap Scr. #10 x .75" Lg.	160	736-0108		Hex Nut 3/8-24 Thd.
119	16855		Pawl Plate	161	749-0764A		FI-Wash. .51" I.D. x .75" O.D.
121	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	162	712-0266		Rear Catcher Frame
122	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	163	713-0397		Hex Jam Nut 3/8-16 Thd.
123	736-0169		L-Wash. 3/8" I.D.*	164	746-0706		3 Tooth Rack Gear Insert
129	746-0912		Control Cable 43" Lg.	165	731-0924		Spd. Control Cable—50" Lg.
130	748-0318		Ratchet Wheel 1.62" C.D.	166	17070		6-Spd. Shift Lever
131	714-0115		Cotter Pin 1/8" Dia. x 1.00" Lg.*	167	736-0270		Adjustable Cable Brkt.
132	712-0711		Hex Jam Nut 3/8-24 Thd.	168	712-0291		Bell-Wash. .265" I.D. x .75" O.D.
133	731-0884		Side Chute Deflector Ass'y.	169	714-0507		Hex Cent. L-Nut 1/4-20 Thd.
134	741-0522		Hex Flange Bearing	170	747-0684		Cot-Pin 3/32" Dia. x .75" Lg.
135	811-00185		Throttle Box Comp. (Incl. Ref. 4, 5, 6, 7, 8)	171	741-0500A		Shift Rod
136	10622B		Spring—Nylon	172	710-0167		Movable Pulley Half Ass'y.
138	17053A		Chain Cover	173	756-0503		Carr. Bolt 1/4-20 x .50" Lg.
140	710-0599		Hex Wash. S-Tap Scr. 1/4-20 x .50" Lg.	174	731-1137		Spined Pulley Half
144	736-0300		FI-Wash. .385" I.D. x .37"	175	736-0278		Flanged Bushing
147	738-0719A		Rear Shaft Ass'y. 21.94" Lg.	176	682-7514		FI-Wash. .328" I.D. x .68" O.D.
148	741-0324		Hex Flange Bearing .506" I.D. Plastic	177	732-0627		Housing Ass'y.
				178	16864		Shift Lever Spring
				179	732-0481		6-Speed Rack Cable Brkt.
							Ext. Spring 3.8" Lg.

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

Model 848

Model E848




PARTS LIST FOR MODEL 848 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	710-1062		Hex Bolt 1/4-20 x 1.25" Lg.* w/Patch	23	736-0270		Bell-Wash. .265" I.D. x .75"†
2	726-0329		L-Wash. 1/4" I.D.*	24	17052A		Idler Brk't. Ass'y.†
3	717-0418A		Upper Hsg. Half	25	712-0138		Hex Patch L-Nut 1/4-28 Thd.†
4	713-0400		#48 Sprocket 7 Tooth x 1/2 Pitch	26	732-0357A		Extension Spring 1.12" Lg.†
5	736-0336		FI-Wash. 5/8" I.D. x .030	27	717-0419A		Lower Hsg. Half
6	741-0413		Hex Flange Brg. .631" I.D.	28	741-0415		Flange Bearing .56 Dia.
7	16500A		Hex Bearing Cup	29	717-0422A		33 Tooth Helical Gear
8	736-0314		Thrust Wash. .382" I.D. x .70" O.D.	30	741-0414		Flange Bearing .629 Dia.
9	741-0479		Thrust Bearing .375" I.D. x .812" O.D.	31	721-0213		Oil Seal .625 Dia.
11	717-1216		11 Tooth Helical Gear	32	738-0607A		Gear Sprocket Shaft
12	748-0208A		Flange Bearing	33	736-0722		L-Wash. #10 I.D.
13	721-0212		Oil Seal	34	710-0436		Hex B-Tap Scr. #10 x .62"
15	756-0330A		FI-Pulley 5.06" I.D.†	35	736-0410		Hex Washer .26" x .88"†
16	736-0270		Bell-Wash. .265" I.D. x .75"†	36	17718		Transmission Belt Guard†
17	712-0351		Hex Nut 1/4-28 L.H. Thd.†	37	17065A		Belt Cover†
18	738-0440		Shld. Spacer .375" Dia. x .170†	38	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.†
19	736-0344		FI-Wash. .390" I.D. x 1.0"†	39	710-0599		Hex AB-Tap Scr. 1/4 x .50" Lg.†
20	738-0826		Shld. Bolt .375" Dia. x .40"†	40	710-0896		Hex B-Tap Scr. 1/4 x .62" Lg.
21	656-0008	N	FI-Idler Plastic 1.50" Dia. (Incl. Ref. No. 22)†	41	712-0287		Hex Nut 1/4-20 Thd.*†
22	741-0556		Needle Brg. .375" x .31"†	42	736-0270		Bell-Wash. .265" I.D. x .75"†
				43	736-0329		L-Wash. 1/4" I.D.*†
				44	746-0710A		S.P. Cable—48" Lg.†
				45	747-0549		S.P. Belt Guard†
				—	717-0417B		Transmission Comp.

†Not Part of Transmission Complete

Model E848

Grass Catcher Complete:
(Includes Rear Catcher Panel Ref. 16)
Model 190-081-000



Model E848

PARTS LIST FOR MODEL E848 ROTARY MOWER

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	720-0225	N	Foam Grip—2 Req'd.	59	782-0521	N	Height Adj. Connecting Arm
2	747-0824		Control Handle Ass'y.	60	710-0757		Hex Bolt 7/16-20 x 1.5" Lg.
3	731-1023		Rear Discharge Chute Ass'y.				(Grade 5)
4	710-0501		Hex Bolt 1/4-20 x 2" Lg.	61	748-0190		Spacer .513" I.D. x .703" O.D. x .69" Lg.
5	646-0875		Throttle Body				Carr. Bolt 1/4-20 x 1.25" Lg.
6	736-0501		Spr. Wash. .66" I.D.	62	710-0111		L-Wash. 5/16" I.D.*
7	712-0324		Hex L-Nut 1/4-20 Thd.	63	736-0119		R.H. Handle Wheel Brkt. Ass'y.
8	746-0876		Throttle Lever	64	16136B		L.H. Handle Wheel Brkt. Ass'y.
9	732-0481		Ext. Spring 3.8" Lg.	65	16137B		Carriage Bolt 5/16-18 x .62"
11	731-1426		Hub Cap	66	710-0260		Hex Wash. Hd. B-Tap Scr.
12	710-0946		Truss Mach. Scr. 1/4-20 x .62" Lg.	67	710-0603		5/16-18
13	736-0258		FI-Wash. .383" I.D. x 1" O.D.	68	710-0654A		Hex Wash. Hd. TT-Tap Scr.
14	749-0439B		Upper Handle				3/8-16
15	16129A		Panel Support Brkt.	69	712-0267		Hex Nut 5/16-18 Thd.*
16	16862		Rear Catcher Panel Ass'y.	70	720-0223		Grip
17	17095A		Rear Discharge Door	71	732-0606		Height Adj. Lever
18	736-0211		FI-Wash. .285" I.D. x 1.25" O.D.	72	732-0362		Extension Spring .75" O.D. x 8" Lg.
19	732-0483A		Torsion Spring				Bell-Wash. 5/16" I.D.
20	747-0514		Pivot Pin	73	736-0242		Spacer
21	710-0134		Carriage Bolt 1/4-20 x .62"	74	750-0736		Shld. Spacer .500" Dia.
22	710-0255		Truss Mach. Scr. 1/4-20 x 3/4" Lg.	75	750-0624		Hairpin Clip
23	710-0289		Hex Bolt 1/4-20 x .50" Lg.*	76	714-0104		Bolt Retainer 1/4 x .50" O.D.
24	738-0704		Shoulder Bolt .312 Dia. x .18 Lg.—Special	77	726-0233		Engine Shroud
25	710-0258		Hex Bolt 1/4-20 x .62" Lg.*	78	731-1402		Screw #10 x 1.25" Lg.
26	712-0287		Hex Nut 1/4-20 Thd.*	79	710-1256		Shld. Scr. .342" Dia. x .268"
27	736-0270		Bell-Wash. 1/4" I.D.	80	738-0137		Pawl
28	736-0329		L-Wash. 1/4" I.D.*	81	748-0188B		Rear Wheel Ass'y. Comp.
29	747-0705		Front Grass Catcher Frame	82	734-1791		Clamp
31	731-0906		S.P. Control Cover	83	726-0272		Bearing 1/2" I.D.
32	735-0639		Spark Plug Insulator	84	741-0486B		Truss Mach. Tap Scr. 1" Lg.
33	712-0397		Wing Nut w/Washer	85	710-0969		Lower Battery Tray
34	746-0674		Throttle Control Wire 61"	86	782-9012		Panel Clip
35	749-0907		Lower Handle	87	731-0880		Weld L-Nut 1/4-20 Thd.
36	—		Engine	88	712-0414		Battery Charger
37	710-1237		Hex Self-Tap Scr. #10-32 x .62" Lg.	89	725-0727		Battery Pack—12 Volt
38	764-0264		Grass Bag	90	725-1276		Battery Tray
40	710-0671		Curved Carr. Bolt 5/16-18 x 1.38" Lg.	91	731-0891A		Ignition Key
41	736-0204		FI-Wash. .344" I.D. x .62"	92	725-0201		Ignition Switch
42	17055B		Chain—Axle Ass'y.	93	725-0873		Fuse Holder
43	710-0352		Hex B-Tap Scr. 1/4" x .38" Lg.	94	725-1428		Fuse 7-1/2 Amp (Not Shown)
44	741-0484		Ball Bearing 1/2" I.D.		725-0298		S.P. Cable
45	710-0776A		Hex AB-Tap Scr. 1/4 x .62"	95	746-0710A		"V"-Belt
46	720-0276		Hand Knob	96	754-0343		Hex AB-Tap Scr. 1" Lg.
47	712-0296		Hex Patch L-Nut 3/8-24 Thd.	97	710-0969		Bag Handle
48	713-0353		#48 Chain .500" Pitch x 30 Links	98	731-0801		Plug
49	712-0346		Hex L-Nut 1/2-20 Thd.	99	725-1206		Wire Harness
50	731-0564		Plug	100	725-1442		21" Deck Ass'y.
51	731-1488	N	Rear Flap 4.8" x 18" Lg.	101	16859A		Shld. Bolt .5" Dia. x .295"
52	726-0240		Cable Tie	102	738-0234		Bell-Wash. .515" I.D. x 1.0" O.D.
53	751B213146	N	Cable Clamp	103	736-0253		Front Axle Ass'y.
54	710-1025		Hex AB Scr. #12 x 1.25" Lg.	104	682-7509		Sleeve .526" I.D. x .690" O.D. x .880" Lg.
55	753-0485		Blade Adapter Kit	105	711-0313		Intern. L-Wash. 3/8" I.D.*
56	742-0721		21" Mulching Blade	106			Shld. Bolt .575" Dia. x .42
57	731-1343		Mulching Plug	111	736-0221		Front Wheel Ass'y. Comp.
58	736-0453		Bell-Wash. .46" I.D.	112	738-0705		Self-Propelled Control Cover
				113	734-1790		Self-Propelled Control Cover
				114	731-0904		Control Lever
				115	731-0905		
				116	731-0620		

Model E848

PARTS LIST FOR MODEL E848 ROTARY MOWER (CONTINUED)

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
117	720-0190		Door Grip	154	16500		Hex Bearing Cup
118	710-0841		Fl-"C"-Sunk Hd. Tap Scr. #10 x .75" Lg.	155	710-0429		Hex B-Tap Scr. #10 x .38
119	16855		Pawl Plate	156	710-1055		Hex Scr. 3/8-24 x 1.0" Lg.
121	710-1174		Curved Hd. Bolt 5/16-13 x 2" Lg.	157	736-0169		L-Wash. 3/8" I.D.
122	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	158	712-0241		Hex Nut 3/8-24 Thd.
123	736-0169		L-Wash. 3/8" I.D.*	160	736-0108		Fl-Wash. .51" I.D. x .75" O.D.
129	746-0912		Control Cable 43" Lg.	161	749-0764A		Rear Catcher Frame
130	748-0318		Ratchet Wheel 1.62" C.D.	162	712-0266		Hex Jam Nut 3/8-16 Thd.
131	714-0115		Cotter Pin 1/8" Dia. x 1.00" Lg.*	163	713-0397		3 Tooth Rack Gear Insert
132	712-0711		Hex Jam Nut 3/8-24 Thd.	164	746-0706		Spd. Control Cable—50" Lg.
133	731-0884		Side Chute Deflector Ass'y.	165	731-0924		6-Spd. Shift Lever
134	741-0522		Hex Flange Bearing	166	17070		Adjustable Cable Brkt.
135	811-00185		Throttle Box Comp. (Incl. Ref. 4, 5, 6, 7, 8)	167	736-0270		Bell-Wash. .265" I.D. x .75" O.D.
136	10622B		Spring—Nylon	168	712-0291		Hex Cent. L-Nut 1/4-20 Thd.
138	17053A		Chain Cover	169	714-0507		Cot-Pin 3/32" Dia. x .75" Lg.
140	710-0599		Hex Wash. S-Tap Scr. 1/4-20 x .50" Lg.	170	747-0684		Shift Rod
144	736-0300		Fl-Wash. .385" I.D. x .87"	171	741-0500A		Movable Pulley Half Ass'y.
147	738-0719A		Rear Shaft Ass'y. 21.94" Lg.	172	710-0167		Carr. Bolt 1/4-20 x .50" Lg.
148	741-0324		Hex Flange Bearing .506" I.D. Plastic	173	756-0503		Spined Pulley Half
149	736-0160		Fl-Wash. .531" I.D. x .930"	174	731-1137		Flanged Bushing
151	741-0491		Flanged Nyliner Brg.	175	736-0278		Fl-Wash. .328" I.D. x .68" O.D.
152	710-0751		Hex Bolt 1/4-20 x .62" Lg. (Grade 5)	176	682-7514		Housing Ass'y.
153	717-0417B		Transmission Comp. (See Breakdown)	177	732-0627		Shift Lever Spring
				178	16864		6-Speed Rack Cable Brkt.
				—	725-1538		Ext. Harness (Not Shown)

*For faster service obtain standard nuts, bolts and washers locally.
If these items cannot be obtained locally, order by part number
and size as shown on parts list.